

**Versions of HP-UX supported on HP Integrity servers (Intel® Itanium® microprocessors) - (see also the Integrity Superdome section)**

HP-UX versions covered: All HP-UX versions currently supported

**Last updated: MAY 2008**                      **This document expires 90 days from its last update.**

**Please find the latest at [www.hp.com/go/hpuxservermatrix](http://www.hp.com/go/hpuxservermatrix)**

**This is NOT an authoritative document. Please check with your HP or HP partner representative.**

**Contents and specifically all future dates are subject to change without notice.**

**HP is in no way obligated to provide support until the dates listed in this document.**

HP-UX version and date information (Note: Integrity servers are not supported on HP-UX 11.0 and 11i version 1)			
HP-UX version	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and HP Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
HP-UX update releases	October 2003 March 2004	September 2004; May 2005; December 2005; March 2006; June 2006; September 2006; June 2007; December 2007 (Final update)	September 2007; April 2008
HP-UX introduction date (1st release in version)	19-May-03	01-Aug-04	20-Feb-07
HP-UX ship date (1st release in version)	29-Sep-03	01-Sep-04	20-Feb-07
HP-UX obsolescence date (Last dated software offered for sale)	31-Dec-09	31-Dec-09	31-Dec-12
End of factory support - Product engineering no longer available from the HP factory, but limited support may be offered for an additional duration for the version	31-Dec-13	31-Dec-13	31-Dec-17

<b>Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.</b>										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
BL60p	AD000A AD106A	Itanium	Itanium 2 (1.6 GHz w/ 3 MB L3 cache and 200 MHz FSB)/ Mad9M/ zx1	7-Nov-05	31-Dec-07	31-Dec-12	TBD	No	Yes	No
BL860c	AD323A AD217A	Itanium	Montecito Montvale	15-Feb-07	1-Feb-10	1-Feb-10	TBD	No	Yes	Yes
BL870c	AH232A	Itanium	Montvale	22-Jan-08	1-Feb-10	1-Feb-10	TBD	No	Yes	Yes
cx2600 Telecom	AB216A	Itanium - Mad6M	Itanium 2 (1.3 GHz w/ 3 MB integrated level 3 cache)	5-Jan-04	1-Nov-06	1-Aug-12	TBD	Yes	Yes	Yes
cx2620 Telecom	AB402A	Itanium - Mad6M	1.4GHz/12MB	1-Oct-06	1-Sep-09	1-Aug-12	TBD			
rx1600	AB218A	Itanium - Madison		1-Feb-04	1-Oct-05	30-Jun-11	TBD	No	Yes	Yes
	AB219A			1-Feb-04	1-Oct-05	30-Jun-11				
	A9901A			1-Feb-04	1-Oct-05	30-Jun-11				
	AB310A			1-Feb-04	1-May-05	31-Jan-11				

Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx1620	AB430A AB431A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB. Also (1.6/3/533)/Madison 9M	1-Nov-04	AB430A: 1-Apr-07 AB431A: 1-Oct-07	AB430A: 30-Nov-12 AB431A: 30-Apr-13	TBD	No	Yes	Yes
rx1620 2X rx1620 1X Bundle Solutions	AB568A AB569A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB	1-Nov-04	1-Feb-06	31-Oct-11	TBD	No	Yes	Yes
rx2600	AB323A	Itanium	1.0 GHz w/1.5 MB cache	24-Nov-03	1-May-05	31-Jan-11	TBD	Yes	Yes	Yes
	AB329A			24-Nov-03						
	A6870B			14-Apr-03						
	AB209A			16-Jun-03						
	AB324A			24-Nov-03						
	A6873B			14-Apr-03						
	AB210A			16-Jun-03						

Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx2620	AB333A	Itanium - Mad9M and Montecito	1.3GHz/3M	1-Nov-04	1-Oct-07	AB333A: 30-Apr-13	TBD	No	Yes	Yes
	AB331A		1.6GHz/6M	20-Dec-04	1-Apr-07	AB332A: 30-Apr-13				
	AB332A		1.6GHz/3M	1-Nov-04	1-Oct-07	AB331A: 30-Nov-12				
rx2620 Bundle Solutions	AB356A		1.6Ghz	1-Nov-04	1-Feb-06	31-Oct-11	TBD	No	Yes	Yes
	AB393A		1.3/3M							
	AB357A		1.3/3							
	AB394A		1.3/3							
	AB386A		1.6/3							
	AB387A	1.6/6								
	AD152A	1.4GHz/12	1-Jul-06	1-Oct-07	31-Jan-13	TBD				
AD153A	1.6GHz/18									
rx2660	AB419A AD245A	Itanium	Montecito Montvale	15-Feb-07 28-Nov-07	1-Oct-09	1-Oct-14	TBD	No	Yes	Yes
rx3600	AB463A AB596A	Itanium	Montecito Montvale	9/1/2006 11/28/07	1-Oct-09	1-Oct-14	TBD	No	Yes	Yes

Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.											
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors			
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity	
rx4610	A6153A	Itanium - Merced	733 MHz	28-Nov-07	1-Aug-02	NA	31-Dec-07	Yes	Yes	No	
	A6447A		800 MHz								
rx4640	A6961A	Itanium - Mad9M	1.3/3	1-Sep-03	1-Jul-04	30-Jun-11	TBD	Yes	Yes	Yes	
rx4640 bundles	A6962A		1.5/6				TBD				
	AB370A			1-Apr-04	1-Sep-05	31-May-11	TBD				
	Base		AB370B		1-Nov-04	1-Oct-07	31-Jan-13				TBD
	FAST One		AB530A	1.6/4	1-Nov-04	1-Feb-06	31-Oct-11				TBD
	FAST Two		AB531A	1.5/4	1-Nov-04	1-Feb-06	31-Oct-11				TBD
	FAST One		AB532A	1.6/6	1-Nov-04	1-Feb-06	31-Oct-11				TBD
	FAST Four		AB533A	1.6/9	1-Nov-04	22-Apr-06	30-Dec-11				TBD
	mx2 FAST		AB373A	mx2	1-Apr-04	16-Jan-06	30-Sep-11				TBD
rx5670	A6837A	Itanium - McKinley Madison	900MHz	9-Jun-02	1-Nov-03	31-Jul-09	TBD	Yes	Yes	Yes	
	A6837B		1.3 Ghz	14-Apr-03	1-Feb-05	31-Oct-10	TBD				
	A6838A		1.0 GHz	9-Jun-02	23-Jun-03	31-Mar-08	TBD				
	A6838B		1.5 Ghz	14-Apr-03	1-Feb-05	31-Oct-10	TBD				

<b>Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.</b>										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
<b>Server model</b> (Rows in order by server model)	<b>Product number</b>	<b>Processor type(s)</b>	<b>Chipset/processor specifics</b>	<b>Introduction date</b>	<b>Obsolescence date</b> (Last date server available for sale)	<b>At this time, support is expected to continue at least until</b>	<b>Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)</b>	<b>HP-UX 11i v2 (B.11.22) Integrity only</b>	<b>HP-UX 11i v2 (B.11.23) HP 9000 and Integrity</b>	<b>HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity</b>
rx6600	AB464A AD132A AD133A AD134A	Itanium	Montecito Montvale	1-Sep-06 28-Nov-07	1-Jan-11	1-Jan-16	TBD	No	Yes	Yes
rx7620		Itanium - Mad6M Mad9M mx2 sx1000 chipset	1.1GHz mx2 1.5GHz/4MB 1.6GHz/6MB				TBD	Yes	Yes	Yes
Server Solution	A7027A			15-Sep-03	1-Apr-07	1-Apr-12				
2-way FAST	AB201A			15-Sep-03	1-Apr-07	1-Apr-12				
4-way FAST	AB202A			15-Sep-03	1-Apr-07	1-Apr-12				
6-way FAST	AB203A			15-Sep-03	1-Apr-07	1-Apr-12				
8-way FAST	AB204A			15-Sep-03	1-Apr-07	1-Apr-12				
12-way FAST	AB343A			1-May-04	1-Jan-07	1-Apr-12				
16-way FAST	AB344A			1-May-04	1-Jan-07	1-Apr-12				

<b>Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.</b>										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
<b>rx7640</b> Server Solution	AB312A	Itanium - Mad 9M Montecito Montvale sx2000 chipset	Mad 9M 1.6 GHz w/ 6 MB L3 cache Montecito 1.4GHz/12MB cache Montecito 1.6GHz/18MB cache Montvale 1.6GHz/24MB cache Montvale 1.6GHz/18MB cache	1-Mar-06 1-Nov-07 (Montvale)			TBD	No	Yes	Yes
2-core FAST	AD064A				1-Jan-11	30-Apr-13				
4-core FAST	AB447A				1-Aug-07	30-Apr-13				
6-core FAST	AD242A				1-Jan-11	30-Apr-13				
8-core FAST	AB448A				1-Aug-07	30-Apr-13				
12-core FAST	AB449A				1-Jan-11	30-Apr-13				
16-core FAST	AB450A				1-Aug-07	30-Apr-13				
1-Jan-11	30-Apr-13									
<b>rx8620</b> Server solution	A7026A	Itanium	1.1 GHz, 1.3, 1.5 GHz w/ 4 MB cache, 1.6/6 Madison	15-Sep-03	1-Apr-07	1-Apr-12	TBD	Yes	Yes	Yes
2-core FAST	AB236A				1-Apr-07					
4-core FAST	AB237A				1-Apr-07					
8-core FAST	AB238A				1-Apr-07					
12-core FAST	AB239A				1-Apr-07					
16-core FAST	AB240A				1-Apr-07					
24-core FAST	AB341A				1-Jan-07					
32-core FAST	AB342A				1-Jan-07					

<b>Versions of HP-UX 11i supported on HP Integrity servers (Intel® Itanium® microprocessors) - HP Superdome servers are not included here.</b>										
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>	Versions of HP-UX 11i supported on HP Integrity Servers configured with Intel Itanium microprocessors		
<b>Server model</b> (Rows in order by server model)	<b>Product number</b>	<b>Processor type(s)</b>	<b>Chipset/processor specifics</b>	<b>Introduction date</b>	<b>Obsolescence date</b> (Last date server available for sale)	<b>At this time, support is expected to continue at least until</b>	<b>Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)</b>	<b>HP-UX 11i v2 (B.11.22) Integrity only</b>	<b>HP-UX 11i v2 (B.11.23) HP 9000 and Integrity</b>	<b>HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity</b>
<b>rx8640</b> <b>Base system solution</b> <b>2-core FAST</b> <b>4-core FAST</b> <b>8-core FAST</b> <b>16-core FAST</b> <b>24-core FAST</b> <b>32-core FAST</b>	AB297A AD065A AB442A AB443A AB444A AB445A AB446A	Itanium	Mad9M (1.6 GHz w/ 6 MB L3 cache) with sx2000 chipset, Montecito 1.4GHz/12, 1.6GHz/18, 1.6GHz/24 Montvale 1.4GHz/12, 1.6GHz/18, 1.6GHz/24	1-Mar-06 1-Nov-07 (Montvale)	1-Jan-11 1-Aug-07 1-Jan-11 1-Jan-11 1-Jan-11 1-Jan-11	1-Jan-16 30-Apr-13 1-Jan-16 1-Jan-16 1-Jan-16 1-Jan-16	TBD	No	Yes	Yes
<b>rx9610</b> <b>Server solution</b> <b>Base</b>	A6754A A6755A	Itanium - Merced		29-May-01	1-Dec-02	NA	30-Nov-07	No (rx9610 required HP-UX 11i v1.5)		No

**HP Integrity Superdome** - both HP 9000 and Integrity Superdome systems are covered under solution product **A5200A**  
 This chart presents HP Integrity Superdome Servers (with Intel® Itanium® microprocessors)

**Last updated: MAY 2008      This document expires 90 days from its last update.**

**Please find the most recent version at [www.hp.com/go/hpuxservermatrix](http://www.hp.com/go/hpuxservermatrix)**

**This is NOT an authoritative document. Please check with your HP or HP partner representative.**

**Contents and specifically all future dates are subject to change without notice.**

**HP is in no way obligated to provide support until the dates listed in this document.**

HP Integrity Superdome Server specifics with introduction and obsolescence dates. (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>
<b>All models run HP-UX 11i v2 B.11.23 and v3.</b> No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.												
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
<b>A6113A</b>	16 processors	1-Aug-00	sx1000 - Pinnacles	<b>A6866A</b> - sx1000 Pinnacles cell board	1-May-03	1-Apr-09	Mad9M 1.6 Ghz/6MB cache	AD003A	1-Dec-04	1-Apr-08	1-Apr-13	TBD
<b>A5201A</b>	32 processors						Mad6M 1.5Ghz	A6924A	1-May-03	1-Apr-06	1-Apr-11	TBD
<b>A5202A</b>	64 processors						mx2 - 1 proc	AB522A	1-Dec-04	1-Jan-07	1-Jan-12	TBD
							mx2 - 2 proc	A6868A	1-Dec-03	1-Apr-06	30-Dec-11	TBD

HP-UX support for HP Integrity Superdome servers

HP Integrity Superdome Server specifics with introduction and obsolescence dates. (Last date server offered for sale)												A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>
<b>All models run HP-UX 11i v2 B.11.23 and v3.</b> No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.													
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	
A9833A	16 processors	1-Feb-06	sx2000 - Arches	A9837A - sx2000 Arches cell board	1-Feb-06	1-Jan-11	Mad9M 1.6 Ghz/6MB cache	AD003A	1-Dec-04	1-Apr-08	1-Apr-13	TBD	
A9834A	32 processors						Montecito 1.6 Ghz/18 MB cache	AB406A	1-Aug-06	1-Apr-09	1-Apr-14		
A9835A	64 processors						Montecito 1.6Ghz/24 MB cache	A9840A	1-Aug-06	1-Apr-09	1-Apr-14		
							Montvale 1.6GHz/18M B cache	AD371A	1-Nov-07	1-Jan-12	1-Apr-17		
							Montvale 1.6GHz/24M B cache	AD374A	1-Nov-07	1-Jan-12	1-Apr-17		

**Versions of HP-UX supported on HP 9000 (HP PA-RISC-based) systems** (See also the HP 9000 Superdome section)

Last updated: **MAY 2008** This document expires 90 days from its last update. Please find the latest at [www.hp.com/go/hpuxservermatrix](http://www.hp.com/go/hpuxservermatrix)

This is **NOT** an authoritative document. Please check with your HP or HP partner representative.

Contents and specifically all future dates are subject to change without notice.

HP is in no way obligated to provide support until the dates listed in this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
A180	A5182A	PA-7300LC	1-Oct-98	1-Aug-01	NA	31-Jul-08	32-bit	32	No	No	No
A180C	A5183A	PA-7300LC	1-Oct-98	1-Aug-01	NA	30-Apr-07	32-bit	32	No	No	No
A400 (renamed rp2400 on 1-March-2002)	A6109A	PA-8500 PA-8600	1-Jun-00	1-Jan-01	NA	30-Sep-06	64	64	No	64	No
	A6109B		1-Nov-00	4-Nov-02	NA	31-Oct-07					
A500 (see rp2450)											
D200	A3262A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	N/A	32	No	No	No
D210	A3331A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	N/A	32	No	No	No
D220	A3572A	PA-7300LC	1-Dec-96	1-Jun-00	NA	31-Dec-07	32	32	No	No	No

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
D230	A3574A	PA-7300LC	1-Dec-96	1-Jun-00	NA	31-Dec-07	32	32	No	No	No
D250	A3332A A3333A A3343A	PA-7200	1-Nov-95	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D260	A3474A	PA-7200	1-May-96	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D270	A3473A A3558A	PA-8000	1-Oct-96	1-Jun-00	31-Dec-11	TBD	32	32 and 64	No	No	No
D280	A3573A A3575A	PA-8000	1-Aug-97	1-Jun-00	31-Dec-11	TBD	32	32 and 64	No	No	No
D310	A3268A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	32	32	No	No	No
D320	A3576A	PA-7300LC	1-Dec-96	1-Sep-01	NA	31-Dec-07	32	32	No	No	No
D330	A3578A	PA-7300LC	1-Dec-96	1-Sep-01	NA	31-Dec-07	32	32	No	No	No
D350	A3334A A3335A	PA-7200	1-Nov-95	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D360	A3476A	PA-7200	1-May-96	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D370	A3560A A3562A	PA-8000	1-Oct-96	1-Jun-00	31-Dec-11	TBD	32 and 64	32 and 64	No	No	No

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>						
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity	
D380	A3577A A3579A	PA-8000	1-Aug-97	1-Nov-00	31-Dec-11	TBD	32 and 64	32 and 64	No	No	No	
D390	A4903A A4904A	PA-8200	1-Jul-98	1-Sep-01	31-Dec-11	TBD	N/A	32 and 64	No	No	No	
Kx00		PA-7200	1-Mar-95	1-Dec-96	NA	30-Jun-06	32	32	No	No	No	
Kx10		PA-7200	1-Sep-95	1-Dec-97	NA	30-Jun-06	32	32	No	No	No	
Kx20		PA-7200	1-Mar-96	1-Sep-99	31-Dec-13	TBD	32	32	No	No	No	
K260	A3205A	PA-8000	1-Jul-96	1-Sep-98	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No	
K360/K460	A5140A	PA-8000	1-Jun-98	1-Jun-00	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No	
	A3284A		1-Jul-96	1-Jun-00	31-Dec-13	TBD						
K250/K450	A3463A A3464A	PA-8000	1-Jul-96	1-Apr-98	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No	
K370 K570	A3663B	PA-8200	1-Jun-98	1-Nov-00	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No	
	A3641A		1-May-97	1-Nov-00	31-Dec-13	TBD						
K380 K580	A4869B	PA-8200	1-Jun-98	1-Sep-01	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No	
	A4837A		1-Feb-98	1-Sep-01	31-Dec-13	TBD						

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
L1000 (renamed rp5400 on Nov. 1, 2001)	A5576A	PA-8500 PA-8600	1-Oct-99	1-May-02	31-Dec-12	TBD	64	64	N/A	see rx5400	No
	A5576B		1-Dec-00								
L1500 (renamed rp5430 on Nov. 1, 2001)	A6797B	PA-8600	1-Nov-01	5-Sep-05	31-May-11	TBD	64	64	N/A	see rx5430	No
L2000 (renamed rp5450 on Nov. 1, 2001)	A5191A	PA-8500 PA-8600	1-Oct-99	1-May-02	31-Dec-12	TBD	64	64	N/A	see rx5450	No
	A5191B		1-Dec-00								
L3000 (renamed rp5470 on Nov. 1, 2001)	A6144A	PA-8600	1-Nov-00	1-Jan-02	31-Dec-12	TBD	64	64	N/A	see rx5470	No
	A6144B		1-Nov-01	5-Sep-05							
N4000	A3639A	PA-8500	1-Apr-99	1-Jul-00	31-Dec-12	TBD	64	64	N/A	N/A	No
	A3639B		1-Mar-00	1-Nov-01							
R380	A5176A	PA-8000/ PA-8200	1-Oct-98	1-Nov-00	31-Dec-11	TBD	N/A	32 and 64	N/A	N/A	No
	A5177A		1-Oct-98	1-Nov-00							

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity		
R390	A5178A, A5179A	PA8000/ PA8200	1-Oct-98	1-Sep-01	31-Dec-11	TBD	N/A	32 and 64	N/A	N/A	No		
rp2405	A7121A, A7122A	PA-8700 650 Mhz	1-Sep-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No		
rp2430	A6889A	PA-8700	1-Mar-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No		
rp2450	A5570A	PA-8600	1-May-00	1-Jan-01	NA	30-Sep-06	64	64	No	64	No		
	A5570B		1-Sep-00	13-Oct-03	31-Dec-13	TBD							
rp2470	A6890A	PA-8700	1-Mar-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No		
rp3410	A7136B	PA-8800	12-Jul-04	1-Jan-06	30-Sep-11	TBD	N/A	64	N/A	64	Yes		
	A9954A	PA-8900	1-May-05	1-Jan-09	31-Dec-14	TBD							
rp3440	A7137A	PA-8800	1-Feb-04	1-Jan-09	31-Dec-14	TBD	N/A	64	N/A	64	Yes		
	A9948A		19-Jul-04	1-Jan-06	30-Sep-11								
	A9949A		19-Jul-04	1-Jan-06	30-Sep-11								
	A9952A	PA-8900	1-May-05	1-Jan-09	31-Dec-14	TBD							
	A9953A		1-May-05	1-Jan-09	31-Dec-14	TBD							
rp4410	A9955A A9956A	PA-8900	1-May-05	1-Jan-09	31-Dec-14	TBD	N/A	64	N/A	64	Yes		

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity	
rp4440	A7124A	PA-8800 PA-8900	24-Nov-03	1-Aug-04	30-Apr-10	TBD	N/A	64	N/A	64	Yes	
	A7134A		1-Feb-04	1-Aug-04	30-Apr-10							
	A7124B		14-Jun-04	1-Jan-06	30-Sep-11							
	A7134B		14-Jun-04	1-Jan-06	30-Jan-11							
	A9950A		1-May-05	1-Jan-09	31-Dec-13							
	A9951A		1-May-05	1-Jan-09	31-Dec-13							
HP server rp5400 (formerly L1000)	A5576B	PA-8500 PA-8600	1-Dec-00	1-May-02	31-Dec-12	TBD	64	64	N/A	64	No	
rp5405	A7117A	PA-8700 650 Mhz	1-Sep-02	1-Feb-05	31-Oct-10	TBD	64	64	N/A	64	No	
	A7118A		1-Sep-02	1-Feb-05	31-Oct-10							
	A9805A		1-Mar-03	1-Feb-05	31-Oct-10							
rp5430 (formerly L1500)	A6797B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	31-May-11	TBD	64	64	N/A	64	No	
rp5450 (formerly L2000)	A5191B	PA-8500, PA-8600	1-Dec-00	1-May-02	31-Dec-12	TBD	64	64	N/A	64	No	
rp5470 (formerly L3000)	A6144B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	31-May-11	TBD	64	64	N/A	64	No	

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity		
rp7400	A3639C		1-Sep-01	14-Apr-03	31-Dec-12	TBD	64	64	N/A	64	No		
rp7405	A7111A A7112A A7113A	PA-8700 650 Mhz	1-Sep-02	1-Jul-04	31-Oct-10	TBD	N/A	64	N/A	64	Yes		
rp7410	A6752A	PA-8700	1-Feb-02	1-Feb-05	31-Oct-10	TBD	N/A	64	N/A	64	Yes		
rp7420	A7025A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz	PA-8800 1-Feb-04 PA-8900 1-May-05	PA-8800 14-Aug-2006 PA-8900 1-Mar-2008	PA-8800 1-May-2012 PA-8900 1-Dec-2013	TBD	No	Yes	No	64	Yes		
	AB205A												
	AB206A												
	AB207A												
	AB208A												
rp8400	A6093A	PA-8700	1-Aug-01	1-Feb-05	31-Oct-10	TBD	N/A	64	N/A	64	Yes		
rp8420	A6912A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz	PA-8800 1-Dec-2003 PA-8900 1-May-2005	PA-8800 1-Aug-2006 PA-8900 1-Mar-2008	PA-8800 1-May-2012 PA-8900 1-Dec-2013	TBD	No	64	N/A	64	Yes		
	AD006A												
	AD007A												
	AD008A	PA-8900 1.1GHz 1.0GHz	1-May-05	1-Mar-08	1-Dec-13	TBD							
	AD009A												
	AD010A												

HP-UX support for HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>					
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 <sup>1,2</sup>	HP-UX 11i v1 (B.11.11) <sup>2,3</sup> Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) <sup>2,3</sup> HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
rp7440	A9959A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	31-Dec-14	TBD	No	Yes	No	64	Yes
	AD026A										
	AD027A										
	AD028A										
	AD029A										
rp8440	A9958A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	31-Dec-14	TBD	No	Yes	No	64	Yes
	AD031A										
	AD032A										
	AD033A										
	AD034A										
AD035A											
T500	A2339A	PA-7100	1-Oct-93	1-Nov-97	31-Dec-13	TBD	32	32	N/A	N/A	No
T520	A3310A	PA-7150	1-Sep-95	1-Feb-98	31-Dec-13	TBD	32	32	N/A	N/A	No
T600	A3329A	PA-8000	1-Apr-97	1-Aug-99	31-Dec-13	TBD	32 and 64	32 and 64	N/A	N/A	No
V2200	A3726A	PA-8200	1-May-97	1-Sep-99	31-Dec-13	TBD	64	64	N/A	N/A	No
V2250	A5081A	PA-8200	1-Mar-98	1-Jul-00	31-Dec-13	TBD	64	64	N/A	N/A	No
V2500	A5074A	PA-8500	1-Dec-98	1-Jan-01	31-Dec-13	TBD	64	64	N/A	N/A	No
V2600	A5824A	PA-8600	1-Dec-99	1-Dec-01	31-Dec-13	TBD	64	64	N/A	N/A	No
EPS 40		PA-8200/V2200	1-Feb-98	TBD			N/A	N/A	N/A	N/A	No

**HP 9000 Superdome** - both HP 9000 and Integrity Superdome solutions are covered under solution product **A5200A**

**Last updated: MAY 2008      This document expires 90 days from its last update.**

**Please find the most recent version at [www.hp.com/go/hpuxservermatrix](http://www.hp.com/go/hpuxservermatrix)**

**This is NOT an authoritative document. Please check with your HP or HP partner representative.**

**Contents and specifically all future dates are subject to change without notice.**

**HP is in no way obligated to provide support until the dates listed in this document.**

HP 9000 Superdome Server specifics with introduction and obsolescence dates (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>
<b>All models run HP-UX 11i v1 - in 64-bit mode only - , v2 (B.11.23) and v3 (B.11.31).</b> No model runs HP-UX 11i v2 (B.11.22) or 11.0.												
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
<b>A6113A</b>	16 processors	1-Aug-00	Yosemite	<b>A5206A</b>	1-Aug-06	1-Sep-02	4 x PA-8600 552 Mhz processor	<b>A6161A</b> - Right to Use	1-Aug-00	1-Sep-02	31-Dec-14	TBD
<b>A5201A</b>	32 processors	1-Aug-00		<b>A6445A</b>	1-Aug-01	1-Nov-04	4 x PA-8700 750 Mhz processor	<b>A6441A</b> - Right to Use	1-Aug-01	1-Nov-04	31-Jul-10	TBD
<b>A5202A</b>	64 processors	1-Aug-00		<b>A6862A</b>	17-Jun-02	1-Apr-06	4 x PA-8700+ 875 Mhz processor	<b>A6885A</b> - Right to Use	17-Jun-02	1-Apr-06	30-Dec-11	TBD

HP-UX support for HP 9000 Superdome Servers

HP 9000 Superdome Server specifics with introduction and obsolescence dates (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. <sup>4</sup>
<b>All models run HP-UX 11i v1 - in 64-bit mode only - , v2 (B.11.23) and v3 (B.11.31).</b> No model runs HP-UX 11i v2 (B.11.22) or 11.0.												
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
A6113A	16 processors	1-Aug-00	sx2000 Arches	A9837A	1-Feb-06	1-Nov-10	PA-8900	A9853A	1-Feb-07	1-Jan-10	1-Jan-15	TBD
A5201A	32 processors	1-Aug-00										TBD
A5202A	64 processors	1-Aug-00										TBD
A6113A	16 processors	1-Aug-00	sx1000 - Pinnacles	A6866A sx1000 - Pinnacles cell board	1-May-05	1-Apr-09	PA-8800	AB520A	1-Dec-04	1-Dec-06	1-Dec-11	TBD
A5201A	32 processors	1-Aug-00										TBD
A5202A	64 processors	1-Aug-00					PA-8900	AB367A	14-Feb-05	1-Apr-09	1-Apr-14	TBD

## Notes

TBD: To be determined

Yes: This version of HP-UX 11i supports the designated server. HP-UX 11i v2 and v3 supports only the 64-bit version of the HP-UX kernel.

NA: Not Applicable

<sup>1</sup> Since HP-UX 11.0 is the first to support 64 bits, prior versions are 32-bit only.

<sup>2</sup> 32 and 64 means a 64-bit PA8x00-based system can run either 32- or 64-bit versions of HP-UX 11.x and can run 32- and 64-bit applications

<sup>3</sup> 64 means runs on 64-bit PA8x00 systems only, but can run 32- and 64-bit applications.

<sup>4</sup> Local support dates may vary. Please contact your local support representative for further information